



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

TEST REPORT

Page No.: 1 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

Name of The Product : After Water	Sample Received Date : 22/08/2026
Product Description : Colorless liquid	Analysis Starting Date : 14/08/2026
Batch No./Lot No. : NA	Analysis Completion Date : 25/08/2026
Date of Manufacturing : NS	Date of Sampling : -
Date of Expiry : NS	Quantity Received : 330ml
Packing Condition : Metal Can	Environment Condition : Ok
Location : NA	Sampling Method : NA
Sample Received / Collected By : Courier	Sampling By : NA
Testing Required : Chemical & Microbiological Test	
Others specification : Non Carbonated Beverage	

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
Chemical Parameters:-					
1	Appearance	-	Colorless liquid	-	AGSS/CHEM-FOOD/SOP-001
2	Flavour/Odour	-	Unobjectionable	-	AGSS/CHEM-FOOD/SOP-001
3	Taste	-	Acceptable	-	AGSS/CHEM-FOOD/SOP-001
4	Brilliant Blue FCF	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives
5	Erythrosine	mg/L	BLQ(10.0)	100.0 Max	FSSAI Lab Manual for Food Additives
6	Fast Green FCF	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives
7	Indigo Carmine	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives
8	Ponceau 4R	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives
9	Sunset Yellow FCF	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives
10	Tartrazine	mg/L	BLQ(10.0)	200.0 Max	FSSAI Lab Manual for Food Additives



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sopraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 2 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
11	Sulfites (as SO ₂)	mg/L	BLQ(10.0)	350.0 Max	AOAC:990.28, 22nd Edition 2023
12	Phosphates (as Phosphorus)	mg/L	BLQ(10.0)	1000.0 Max	IS:14828:2000
Heavy Metals:-					
13	Lead (as Pb)	mg/L	BLQ (0.05)	2.5 Max	AGSS/CHEM/SOP/ICP-MS/22
14	Copper (as Cu)	mg/L	0.29	30.0 Max	AGSS/CHEM/SOP/ICP-MS/22
15	Arsenic (as As)	mg/L	BLQ (0.05)	1.1 Max	AGSS/CHEM/SOP/ICP-MS/22
16	Tin (as Sn)	mg/L	BLQ (0.05)	250.0 Max	AGSS/CHEM/SOP/ICP-MS/22
17	Cadmium (as Cd)	mg/L	BLQ (0.05)	1.5 Max	AGSS/CHEM/SOP/ICP-MS/22
18	Mercury (as Hg)	mg/L	BLQ (0.05)	1.0 Max	AGSS/CHEM/SOP/ICP-MS/22
19	Methyl Mercury (Calculated as element)	mg/L	BLQ (0.05)	0.25 Max	AGSS/CHEM/SOP/ICP-MS/22
Other Contaminants:-					
20	Melamine	mg/L	BLQ(0.01)	2.5 Max	AGSS/CHEM/SOP/LC-MS/11
Additives					
21	Caffeine	mg/L	BLQ(10.0)	NMT 145	IS:16028:2012
22	Saccharine	mg/L	BLQ(10.0)	300 Max	AGSS/CHEM/SOP/HPLC/22
23	Benzoate	mg/L	BLQ(10.0)	600 Max	AGSS/CHEM/SOP/HPLC/18
24	Sorbates	mg/L	BLQ(10.0)	1000 Max	AGSS/CHEM/SOP/HPLC/18
25	Saffrole	mg/L	BLQ(1.0)	10.0 Max	AGSS/CHEM/SOP/GCMS/19
Pesticide Residues:-					
26	Acephate (expressed as mixture of methamidophos and acephate)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
27	Acetamiprid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
28	Alachlor	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
29	Alpha cypermethrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
30	Ametroctradin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
31	Anilophos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
32	Atrazine	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Soojraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 3 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
33	Azimsulfuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
34	Azoxystrobin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
35	Benfuracarb	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
36	Sum of benomyl and carbendazim expressed as carbendazim	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
37	Bensulfuron Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
38	Beta Cyfluthrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
39	Bifenthrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
40	Bispyribac Sodium	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
41	Bitertanol	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
42	Buprofezin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
43	Butachlor	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
44	Captan	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
45	Carbaryl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
46	Carbendazim	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
47	Carbofuran	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
48	Carbosulfan	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
49	Carfentrazone Ethyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
50	Carpropamid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
51	Cartap Hydrochloride	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
52	Chlorantraniliprole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
53	Chlorfenapyr	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
54	Chlorfluazuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
55	Chlorimuron ethyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
56	Chlorothalonil	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
57	Chlorpropham	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
58	Chlothianidin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 4 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
59	Chromafenozide	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
60	Cinmethylen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
61	Clodinafop-propargyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
62	Clomazone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
63	Cyantranilipole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
64	Cyazofamid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
65	Cyhalofop-butyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
66	Cymoxanil	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
67	Cypermethrin (sum of isomers) (fat soluble residue)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
68	Deltamethrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
69	Diafenthuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
70	Dichlorvos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
71	Diclofop	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
72	Diclosulam	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
73	Dicofol	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
74	Difenoconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
75	Diflubenzuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
76	Dimethoate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
77	Dimethomorph	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
78	Dinocap	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
79	Dinotefuran	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
80	Dithianon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
81	Diuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
82	Dodine	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
83	Edifenphos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
84	Enamectin Benzoate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sorraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 5 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
85	Epoxyconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
86	Ethion	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
87	Ethofenprox (Etofenprox)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
88	Ethoxysulfuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
89	Etoxazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
90	Famoxadone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
91	Fenamidone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
92	Fenarimol	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
93	Fenazaquin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
94	Fenobucarb (BPMC)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
95	Fenoxaprop-p-ethyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
96	Fenpropathrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
97	Fenpyroximate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
98	Fenvalerate (Fat soluble residue)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
99	Fipronil	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
100	Flonicamid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
101	Fluazifop-p-butyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
102	Flubendiamide	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
103	Fluchloralin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
104	Flufenacet	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
105	Flusilazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
106	Fluvalinate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
107	Forchlorfenuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
108	Halosulfuron methyl sodium	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
109	Hexaconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
110	Hexazinone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
111	Hexythiazox	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 6 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
112	Iodosulfuron Methyl Sodium	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
113	Imazethapyr	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
114	Imidacloprid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
115	Indoxacarb	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
116	Iprobenfos (Kitazin)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
117	Iprodione	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
118	Isoprothiolane	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
119	Isoproturon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
120	Kasugamycin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
121	Kresoxim Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
122	Lambda cyhalothrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
123	Linuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
124	Lufenuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
125	Malathion (Malathion to be determined and expressed as combi)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
126	Mandipropamid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
127	Mesosulfuron Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
128	Metaflumizone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
129	Metalaxyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
130	Metalaxyl-M	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
131	Methabenzthiazuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
132	Methomyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
133	Methyl Parathion	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
134	Metolachlor	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
135	Metribuzin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
136	Metsulfuron Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
137	Milbemectin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 7 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
138	Monocrotophos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
139	Myclobutanil	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
140	Novaluron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
141	Orthosulfamuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
142	Oxadiazyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
143	Oxadiazon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
144	Oxydemeton-Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
145	Oxyfluorfen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
146	Paclobutrazol	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
147	Penconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
148	Pencycuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
149	Pendimethalin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
150	Penoxuslum	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
151	Permethrin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
152	Phenthoate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
153	Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
154	Phosalone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
155	Picoxystrobin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
156	Pinoxaden	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
157	Pretilachlor	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
158	Pirimiphos-methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
159	Profenofos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
160	Prohexadione calcium	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
161	Propaquizafop	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
162	Propargite	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif

Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 8 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
163	Propiconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
164	Pyraclostrobin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
165	Pyrazosulfuron ethyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
166	Pyridalyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
167	Pyriproxyfen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
168	Pyriithiolac Sodium	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
169	Pymetrozine	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
170	Quinalphos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
171	Quizalofop ethyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
172	Quizalofop-P-tefuryl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
173	Sodium Aceflourofen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
174	Spinosad	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
175	Spiromesifen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
176	Sulfosulfuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
177	Tebuconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
178	Thiacloprid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
179	Thifluzamide	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
180	Thiodicarb	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
181	Thiamethoxam	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
182	Thiometon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
183	Thiophanate-Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
184	Tolfenpyrad	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
185	Trichlorfon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
186	Triadimefon	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
187	Trifloxystrobin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
188	Triallate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
189	Triasulfuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 9 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
190	Triazophos	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
191	Tricyclazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
192	Tridemorph	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
193	Trifluralin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
194	Validamycin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
195	Fluopicolide	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
196	Tembotrione	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
197	Propanil	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
198	Fluopyram	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
199	Topramezone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
200	Thiocyclam Hydrogen Oxalate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
201	2,4-D Amine Salt	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
202	Ametyrn	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
203	Fomesafen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
204	Imazamox	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
205	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
206	Sodium Para Nitro Phenolate	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
207	Bentazone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
208	Cyflumetofen	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
209	Boscalid	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
210	Flucetosulfuron	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
211	Haloxypop-R Methyl	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
212	Sulfentrazone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
213	Spirotetramat	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
214	Metrafenone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
215	Fluxapyroxad	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imtiaz Sif
Section In Charge (Food)
Checked By

Sporaj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)
C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 10 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
216	Tetraconazole	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
217	Abamectin	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
218	Flupyradifurone	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
219	Sulfoxaflor	mg/L	BLQ(0.005)	0.01 Max	AGSS/CHEM/SOP/PEST/07
220	Copper Hydroxide (Copper determined as elemental copper)	mg/L	0.29	30.0 Max	AGSS/CHEM/SOP/ICP-MS/22
221	Copper Oxychloride (Copper determined as elemental copper)	mg/L	0.29	30.0 Max	AGSS/CHEM/SOP/ICP-MS/22
222	Copper Sulphate (Copper determined as elemental copper)	mg/L	0.29	30.0 Max	AGSS/CHEM/SOP/ICP-MS/22
223	Cuprous Oxide (Copper determined as elemental copper)	mg/L	0.29	30.0 Max	AGSS/CHEM/SOP/ICP-MS/22
224	2,4-Dichlorophenoxyacetic acid	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
225	Alpha naphthyl acetic acid	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
226	Chlormequat Chloride (CCC)	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
227	Dithiocarbamates as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
228	Ethephon	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
229	Fosetyl-Al	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
230	Glufosinate Ammonium	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/015
231	Glyphosate	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/015
232	Mepiquat Chloride	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
233	Methyl Chlorophenoxy Acetic Acid (MCPA)	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
234	Paraquat dichloride	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/LCMS/014
235	Propineb as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
236	Ethylene bis- dithiocarbamates as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
237	Mancozeb as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
238	Metiram as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
239	Zineb as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07



For Report Verification

Imran Asif

Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Certificate No. TC-14844

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 11 of 11

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	ULR No. : TC148442600047754F Report No. : AGSS/FA/26082200018 Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	--

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
240	Farbam as CS2	mg/L	BLQ(0.01)	0.01 Max	AGSS/CHEM/SOP/PEST/07
Microbiological Parameters:-					
241	Total Plate count	cfu/ml	<1	NMT 50	IS:5402(P-1): 2021
242	Yeast and mould count	cfu/ml	<1	NMT 2	IS:5403:1999
243	Coliform	/100ml	Absent	Absent	IS:5401(P-2):2012

Remarks : The tested sample conforms as per FSSR 2011, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report



For Report Verification

Imran Asif

Section In Charge (Food)

Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory



Scan to check Scope of Accreditation

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

TEST REPORT

Page No.: 1 of 1

Issued to : Aryaman Beverages C 64-A, Shivaji Park, Punjabi Bagh, West Delhi, Delhi - 110026	Report No. : AGSS/FA/26082200018/N Sample Issue Date : 22/08/2026 Report Issue Date : 25/08/2026
--	---

Name of The Product	: After Water	Sample Received Date	: 22/08/2026
Product Description	: Colorless liquid	Analysis Starting Date	: 14/08/2026
Batch No./Lot No.	: NA	Analysis Completion Date	: 25/08/2026
Date of Manufacturing	: NS	Date of Sampling	: -
Date of Expiry	: NS	Quantity Received	: 330ml
Packing Condition	: Metal Can	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Courier	Sampling By	: NA
Testing Required	: Chemical & Microbiological Test		
Others specification	: Non Carbonated Beverage		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per FSSR 2011	Method Of Testing
Pesticide Residues:-					
1	Chlorpyrifos	mg/L	BLQ(0.001)	0.001 Max	AGSS/CHEM/SOP/PEST/07

Remarks : The tested sample conforms as per FSSR 2011, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification

End of Report



For Report Verification

Imran Asif
Section In Charge (Food)
Checked By

Sooraj Gautam
Microbiologist
Authorized Signatory

Nidhi Gupta
Technical Manager
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

